

# TUG SPECIFICATION

Built: 1962 for Swedish Navy in Lloyd's 100A1 + Ice Class 1A  
Builder: Åsiverken, Sweden

## Measurements:

Length: 33.80 m  
Beam: 9.05 m  
Draught bow: 3.20 m  
Draught aft: 4.85 m  
Air draught: 13.50 m

Displacement: 450 tons  
Cross tonnage: 288

Pollard pull: 23,0 t

Main Engine: NOHAB Polar MN 16S, 1188kW at 335 rpm  
Propulsion: KaMeWa 3 Blade vp propeller  
Generators: 3 x 70 kW  
Bow thruster: Scania 260 kW

## Tankage:

Fuel: 2 x 21,4 m<sup>3</sup>  
2 x 12,8 m<sup>3</sup>  
Cooling w: 4.6 m<sup>3</sup> + 4,9 m<sup>3</sup>  
Ballast w: 5,7 m<sup>3</sup> + 2 x 15,2 m<sup>3</sup>  
Fresh w: 15 m<sup>3</sup> + 17,4 m<sup>3</sup>

Accommodation: 20 beds, 8 cabins, mess-rooms

## Modern Navigation Equipment

### Disclaimer :

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.